



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/750,906	01/05/2004	Peter Wilhelmus Henricus Rietjens	2007-1005	2003

466 7590 07/19/2006

YOUNG & THOMPSON  
745 SOUTH 23RD STREET  
2ND FLOOR  
ARLINGTON, VA 22202

EXAMINER
----------

TAWFIK, SAMEH

ART UNIT	PAPER NUMBER
----------	--------------

3721

DATE MAILED: 07/19/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

**Application No.**

10/750,906

**Applicant(s)**RIETJENS, PETER WILHELMUS  
HENRICUS**Examiner**

Sameh H. Tawfik

**Art Unit**

3721

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM  
THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 06 February 2006.  
2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.  
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-27, 49 and 50 is/are pending in the application.  
4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.  
5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.  
6) ☒ Claim(s) 1-27, 49 and 50 is/are rejected.  
7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.  
8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.  
10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)  
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)  
3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.  
4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_.  
5) ☐ Notice of Informal Patent Application (PTO-152)  
6) ☐ Other: \_\_\_\_\_.

### **DETAILED ACTION**

In response to a brief filed by applicant on 11/04/2005 and 02/06/2006 and further has been considered by the examiner, the case has been re-opened based on a new ground of rejection as disclosed in this paper.

#### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-16, 19-21, 49, and 50 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schoeler (U.S. Patent No. 5,862,652).

Schoeler discloses form-fill-seal machine for macking bag- shaped packagings for products, such as edible products, from a web of material, the machine comprising a frame having a stock of web material (Fig. 9-11; via 15) and supply of the web material in flat condition (via 17), and a form- unit positioned at a front side of the machine (Figs. 9-11; via forming shoulder 18), wherein the form-fill unit comprises a form shoulder (via 18) for transforming the flat web material into a tube (Figs. 9-11), as well as a form-fill tube connecting to the form shoulder (Figs. 9-11; via fill pipe 20), having a vertical main plane of section, transverse sealing jaws (Figs. 9-11; via rotating jaws 23 and 24) that are positioned below a lower end of the form-fill tube for forming transverse seals (Figs. 9-11) in the tube and which are moveable towards and away from each other in a vertical plane perpendicular to the front side of the machine and the vertical main plane of section (via by rotating the jaws 23 and 24 at certain

Art Unit: 3721

point they move toward and away from each other in a vertical plane), the form shoulder being asymmetrically shaped for forming an overlap in the foil tube which extends to at least distance from or near the vertical plane of section (Figs. 9-12), wherein the machine furthermore provided with first longitudinal sealing means (Fig. 12; via 22, 28, and 30 at one of the tube sides) that are positioned at a first side, at one lateral side of the form tube as considered from the front side of the machine (via 22, 28, and 30 are located at one side of the machine in respect to the form tube), preferably at a short distance from or near the vertical main plane of section for forming a first severable longitudinal seal at the location of the overlap (Fig. 12).

Schoeler does not disclose that the web is been used on the machine is made of foil material. However, the examiner takes an official notice that the mentioned use of web made of foil material is old, well known, and available in the art.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have substituted Schoeler's web by using web made of foil material, as a matter of engineering design choice, in order to make stronger bags and capable of holding heavier items.

Regarding claim 2: furthermore provided with second longitudinal sealing means (Fig. 12; via 22, 28, and 30 on the other side of the tube) lateral side of the form tube, positioned at a second side, at one as considered from the front side the machine, opposite the first side, for forming at least one longitudinal seal in the foil tube.

Regarding claim 3: wherein two longitudinal sealing means are provided that are positioned either side of, preferably equidistant from, the vertical plane of section, see for example (Figs. 9-12).

Regarding claim 4: wherein form-fill protruding form strips for forming longitudinal folds in the foil tube, wherein the second longitudinal sealing means are positioned provided with for sealing the longitudinal folds, see for example (Figs. 3-8).

Regarding claim 5: wherein second longitudinal sealing means comprise an anvil/form member, that extends between both longitudinal folds for positioning them for sealing (Fig. 8).

Regarding claim 6: Schoeler does not disclose that the position of at least one of the first and second longitudinal sealing means is adjustable direction towards/away from the fill tube. However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified Schoeler's sealing means to be adjustable, since it has been held that the provision of adjustability, where needed, involves only routine skill in the art. In re Steven, 101 USPQ 284 (CCPA 1954).

Regarding claim 7: the anvil/form member forms an interchangeable part (Fig. 8).

Regarding claim 8: the form-fill unit is detachably placed in the machine. Note it is inherent that the form-fill unit is detachably placed in the machine.

Regarding claim 9: wherein the form/fill tube at the first side at the lower end is provided with a first protrusion, situated in or near the vertical plane of section and extending downwards, and which in horizontal direction is free from the remainder of the lower end Form-fill-seal machine of the fill tube, see for example (Figs. 8-12; via expanding elements 38 and 39).

Regarding claim 10: wherein the first protrusion is pen- or lip-shaped (Fig. 8; via 38 and 39).

Regarding claim 11: wherein the first protrusion with its end extends beyond the profile of the fill tube (Fig. 12).

Regarding claim 12: wherein the form/fill tube at its lower end is furthermore provided with at least a second protrusion, which at least situated at the second side and defines a recess with the first protrusion (Fig. 8; via 38 and 39 on the other side of the tube).

Regarding claim 13: wherein the second protrusion forms a sharp guiding edge, substantially oriented towards the bottom (Fig. 8).

Regarding claim 14: wherein two second protrusions are present, which extend on either side of the vertical plane of section and preferably keep an area free between them, in which area a fold-maker is able to extend, wherein two second protrusions preferably are connected to each other by a plate, for instance a V-shaped plate, which is forming a cavity for the inwardly folded bottom area to be made (Fig. 8).

Regarding claim 15: wherein the fill tube has a substantially rectangular cross-section, having the main sides substantially parallel to the vertical plane of section (Figs. 9, 12, and 14).

Regarding claim 16: wherein the first side of the form and fill tube is bent having a flat surface between bent transitions to the main sides (Figs. 9-12).

Regarding claim 21: wherein the first longitudinal sealing means are positioned at a short distance from or near the vertical plane of section (Figs. 9-12).

Regarding claims 49 and 50: the machine could be designed as a continuously or discontinuously operative machine, see for example (Figs. 9-12).

Claims 17 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schoeler (U.S. Patent No. 5,862,652) in view of Inagaki (EP. No. 0 276 554).

Schoeler does not disclose means for arranging a strip of tape on the web material in the overlapped area. However, Inagaki discloses a similar form fill seal machine comprising means for arranging a strip on the web material in the overlapped area (Fig. 7).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified Schoeler's machine with means for arranging a strip of tape on the web material in the overlapped area, as suggested by Inagaki, in order to come up with re-closable and re-usable bags.

Claims 22-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schoeler (U.S. Patent No. 5,862,652) in view of Inagaki (EP. No. 0 276 554).

Schoeler discloses a form fill seal machine comprising a frame having a stock of web material and the web material flat condition (Fig. 10); form-fill unit (via forming shoulder 18 and filling pipe 20), the form-fill comprising an asymmetrical form shoulder (18) for transforming the flat web material into a tube, while forming an overlap (Fig. 12), and a form- fill tube connecting to the form shoulder, said form-fill tube has substantially rectangular cross-section (Figs. 12 and 14; via rectangular formed tube) and is positioned in the machine having a first main side facing away from the machine and a second main side facing the machine (Figs 12 and 14), wherein the form shoulder (18) is designed for forming overlap at least the first or second main side, wherein the form-fill unit at a first short side of the form-fill tube is provided with two protruding form strips for forming longitudinal folds furthermore provided with first longitudinal

Art Unit: 3721

sealing means for forming first (Figs. 8-12; via 22, 28, and 30), severable longitudinal seal the area over tap and second longitudinal sealing means (via 22, 28, 30 on the other side) for forming second longitudinal seals at the location of the longitudinal folds, wherein the form-fill unit, overlap, wherein the form-fill-seal machine is furthermore provided with transverse sealing means positioned below the fill-form unit for forming transverse seals in the tube and with means for severing the transverse seals at the location of the transverse seals (Figs. 9-12; via 23 and 24).

Schoeler does not disclose means for arranging a strip of tape on the web material in the overlapped area nor arranging a severable seal at the side of the strip. However, Inagaki discloses a similar form fill seal machine comprising means for arranging a strip on the web material in the overlapped area (Fig. 7).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified Schoeler's machine with means for arranging a strip of tape on the web material and arranging a severable seal at the side of the strip in the overlapped area, as suggested by Inagaki, in order to come up with re-closable and re-usable bags.

Schoeler nor Inagaki disclose that the web is been used on the machine is made of foil material. However, the examiner takes an official notice that the mentioned use of web made of foil material is old, well known, and available in the art.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have substituted Schoeler in view of Inagaki's web by using web made of foil material, as a matter of engineering design choice, in order to make stronger bags and capable of holding heavier items.



Art Unit: 3721

Regarding claim 24: Schoeler discloses that the second longitudinal sealing means are positioned at the second short side of the form fill tube, see for example (Figs. 9-12).

Regarding claim 25: Schoeler discloses that the first short side of the form fill tube is bent having a flat surface between bend transitions to the main side, see for example (Figs. 9-12).

Regarding claim 26: Schoeler discloses that form fill unit is detachably arranged on the frame. Note that it is inherent that the form-fill unit is detachably placed in the machine.

Regarding claim 27: Schoelere discloses that the first longitudinal sealing means and/or the second longitudinal sealing means are detachably arranged on the frame, see for example (Figs. 9-12), note that that it is inherent that the longitudinal sealing means are detachably placed in the machine.

### ***Conclusion***


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sameh H. Tawfik whose telephone number is 571-272-4470. The examiner can normally be reached on Tuesday - Friday from 8:00 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rinaldi Rada can be reached on 571-272-4467. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3721

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Sameh H. Tawfik  
Primary Examiner  
Art Unit 3721

A handwritten signature in black ink, appearing to read 'Sameh', with a long, sweeping horizontal stroke underneath.

ST.